



Independent practitioner’s assurance report

To the management of Shanghai Electronic Certificate Authority Co., Ltd. (“SHECA”)

Scope

We have been engaged to perform a reasonable assurance engagement on the accompanying management’s assertion of SHECA for its Certification Authority (CA) operations at Shanghai (including Facility 1 and Facility 2), China for the period from April 1, 2023 to March 31, 2024, for its CAs enumerated in the Attachment A, SHECA has:

- maintained effective controls to provide reasonable assurance that it meets the Network and Certificate System Security Requirements as set forth by the CA/Browser Forum,

in accordance with the [WebTrust Principles and Criteria for Certification Authorities – Network Security v1.0](#).

Management’s Responsibilities

SHECA’s management is responsible for the management’s assertion, including the fairness of its presentation, and the provision of its described services in accordance with the WebTrust Principles and Criteria for Certification Authorities - Network Security v1.0.

Our Independence and Quality Management

We have complied with the independence and other ethical requirements of the International Code of Ethics for Professional Accountants (including International Independence Standards) issued by the International Ethics Standards Board for Accountants, which is founded on fundamental principles of integrity, objectivity, professional competence and due care, confidentiality and professional behaviour.

Our firm applies International Standard on Quality Management 1, which requires the firm to design, implement and operate a system of quality management including policies or procedures regarding compliance with ethical requirements, professional standards and applicable legal and regulatory requirements.

Practitioner’s Responsibilities

It is our responsibility to express an opinion on the management’s assertion based on our work performed.

We conducted our work in accordance with International Standard on Assurance Engagements 3000 (Revised) “Assurance Engagements Other Than Audits or Reviews of Historical Financial Information”. This standard requires that we plan and perform our work to form the opinion.

A reasonable assurance engagement involves performing procedures to obtain sufficient appropriate evidence whether the management's assertion of SHECA is fairly stated, in all material respects, in accordance with the WebTrust Principles and Criteria for Certification Authorities - Network Security v1.0. The extent of procedures selected depends on the practitioner's judgment and our assessment of the engagement risk. Within the scope of our work we performed amongst others the following procedures: (1) obtaining an understanding of SHECA's network and certificate system security to meet the requirements set forth by the CA/Browser Forum; (2) testing and evaluating the operating effectiveness of the controls; and (3) performing such other procedures as we considered necessary in the circumstances.

The relative effectiveness and significance of specific controls at SHECA and their effect on assessments of control risk for subscribers and relying parties are dependent on their interaction with the controls, and other factors present at individual subscriber and relying party locations. We have performed no procedures to evaluate the effectiveness of controls at individual subscriber and relying party locations.

We believe that the evidence we have obtained is sufficient and appropriate to provide a basis for our opinion.

Inherent Limitation

Because of the nature and inherent limitations of controls, SHECA's ability to meet the aforementioned criteria may be affected. For example, controls may not prevent, or detect and correct, error, fraud, unauthorised access to systems and information, or failure to comply with internal and external policies or requirements. Also, the projection of any opinion based on our findings to future periods is subject to the risk that changes may alter the validity of such opinion.

Opinion

In our opinion, the management's assertion of SHECA, for the period from April 1, 2023 to March 31, 2024, is fairly stated, in all material respects, in accordance with the WebTrust Principles and Criteria for Certification Authorities - Network Security v1.0.

Emphasis of Matter

Without modifying our opinion, we draw attention to the fact that this report does not include any representation as to the quality of SHECA's services beyond those covered by the WebTrust Principles and Criteria for Certification Authorities - Network Security v1.0, nor the suitability of any of SHECA's services for any customer's intended purpose.

Other Matter

The UniTrust Global Root CA R1 (Attachment A #29), UniTrust Global Root CA R2 (Attachment A #35) CAs did not issue certificates during the period April 1, 2023 to March 31, 2024 and were maintained online to provide revocation status information only.

Purpose and Restriction on Use

The management's assertion was prepared for obtaining and displaying the WebTrust Seal on SHECA website¹ using the WebTrust Principles and Criteria for Certification Authorities - Network Security v1.0 designed for this purpose. As a result, the management's assertion of SHECA may not be suitable for another purpose. This report is intended solely for the management of SHECA in connection with obtaining and displaying the WebTrust Seal on its website after submitting the report to the related authority in connection with the WebTrust Principles and Criteria for Certification Authorities - Network Security v1.0.

Our report is not to be used for any other purpose. We do not assume responsibility towards or accept liability to any other parties for the contents of this report.

Use of the WebTrust seal

SHECA's use of the WebTrust for Certification Authorities - Network Security Seal constitutes a symbolic representation of the contents of this report and it is not intended, nor should it be construed, to update this report or provide any additional assurance.

A handwritten signature in black ink that reads "PricewaterhouseCoopers". The signature is written in a cursive, flowing style.

PricewaterhouseCoopers
Certified Public Accountants

Hong Kong, 24 May 2024

¹ The maintenance and integrity of the SHECA website is the responsibility of the management of SHECA; the work carried out by the assurance provider does not involve consideration of these matters and, accordingly, the assurance provider accepts no responsibility for any differences between the accompanying management's assertion of SHECA on which the assurance report was issued or the assurance report that was issued and the information presented on the website.



Attachment A

The list of keys and certificates covered in the report is as follow:

#	Key Name	Key Type	Signature Algorithm	Key Size	Subject DN	Subject Key Identifier	Certificates Thumbprint (SHA256)	Certificate Signed by
1	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	9BEA11C976FE014764C1BE56A6F914B5A560317ABD9988393382E5161AA0493C	UCA Global G2 Root
2	SHECA SMIME CA G1	Signing Key	sha256RSA	2048 bits	CN = SHECA SMIME CA G1 O = UniTrust C = CN	1FA80B4DCF9CA6A53ADAB096AB9957B90A9B7F5D	8100D384D6C4529883C37C37C68FD4903C41CCBCB9033A9C733A6AF0806E1DE7	UCA Global G2 Root
3	SHECA RSA Code Signing CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Code Signing CA G3 O = UniTrust C = CN	FD7EC87AC2771C5687D2AEF807C7426A1B7C42A8	C7E976AA77E92491C269840B2F1461E65147A2BB181EE59AB63BCD86704FE456	UCA Global G2 Root
4	SHECA RSA Domain Validation Server CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Domain Validation Server CA G3 O = UniTrust C = CN	057A4D756FFDoA83B1671675773E14C5F53C548E	0A552A65F22FF820E7EC3D43BBF88B02ABC34BD247E0C3505891B6342F16A5F2	UCA Global G2 Root
5	SHECA RSA Organization Validation Server CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Organization Validation Server CA G3 O = UniTrust C = CN	316068091E32F9F6CCC06215AA7B91AF4C119D40	26FD4C4367E463D39C71796AE4010E53380DC93BC132FB019D6718A6873E81F4	UCA Global G2 Root
6	SHECA DV Server CA G5	Signing Key	sha256RSA	2048 bits	CN = SHECA DV Server CA G5 O = UniTrust C = CN	D8E7061B645FAB3008887A2453AAE11C8304BF6D	778C516DAEC700EE58B3581E411E5CoDD478663A5163A29895341507D6E964DD	UCA Global G2 Root
7	SHECA OV Server CA G5	Signing Key	sha256RSA	2048 bits	CN = SHECA OV Server CA G5 O = UniTrust C = CN	0379A38D525FD4E988921F4358542502F4878B7E	8AB3A0ACF289E6EF754BE449236843D67F45C191BDDD66484B85E6E60556A9AF	UCA Global G2 Root
8	SHECA EV Server CA G2	Signing Key	sha256RSA	2048 bits	CN = SHECA EV Server CA G2 O = UniTrust C = CN	86B148C0420A9C6F81FC4FD10F184BAAB5A6EA	4216527163AD2CAA825D3BF48F61A7661D0ABC89B58AB76B23A1E10999F0769F	UCA Global G2 Root
9	SHECA Code Signing CA G4	Signing Key	sha256RSA	3072 bits	CN = SHECA Code Signing CA G4 O = UniTrust C = CN	73C3B39021CBF23BDA23D351F295C58BC678EE47	8FoC3E06A16E3EA7C9B15A848076ED15E51DA0B6F1AFA274EDE2B9102191FE0F	UCA Global G2 Root



#	Key Name	Key Type	Signature Algorithm	Key Size	Subject DN	Subject Key Identifier	Certificates Thumbprint (SHA256)	Certificate Signed by
10	TrustAsia RSA DV TLS CA - S1	Signing Key	sha256RSA	2048 bits	CN = TrustAsia RSA DV TLS CA - S1 O = TrustAsia Technologies, Inc. C = CN	9432E0D48ACD1D93E75C5372960C5EF1F3F67972	074ADD7F1E73EB110EC8E2B78A92C51CF5A451135B6F7DEFCC019EE9D74BFA4D6	UCA Global G2 Root
11	TrustAsia RSA OV TLS CA - S1	Signing Key	sha256RSA	2048 bits	CN = TrustAsia RSA OV TLS CA - S1 O = TrustAsia Technologies, Inc. C = CN	F575D48E293E17A8A9C49EDCE6DB0A344D132AEB	D16BA9ACB74FEE4AA8087EE482E86E7F6F5F55FAC5025639730753FE1E705E3C	UCA Global G2 Root
12	SHECA Global G3 SSL	Signing Key	sha256RSA	2048 bits	CN = SHECA Global G3 SSL O = UniTrust S = Shanghai C = CN	9820FoF1D942A6DE833F991019003D6868D20181	AEFFFE4335EE56422E927F45E95AE142B9EB35979A7400569AE9BDEA6CAABC1DC	UCA Global G2 Root
13	SHECA Global G3 Code Signing	Signing Key	sha256RSA	2048 bits	CN = SHECA Global G3 Code Signing O = UniTrust S = Shanghai C = CN	F73DF939A8D98754AC778EF5D995EEF835AB9439	EAA5AD8E9A2FA992354B2FF4254BEB08A632F7F17602604DDE D58D73D616D844	UCA Global G2 Root
14	Xinnet DV SSL	Signing Key	sha256RSA	2048 bits	CN = Xinnet DV SSL O = 北京新网数码信息技术有限公司 C = CN	9D3AA5B8E2212783643FF578DC22B04E6BCB36D4	9C53902F9501F6D89766999DBE2AD1A1436420B652535CDC2DC51CCFE2FFEE68	UCA Global G2 Root
15	Xinnet OV SSL	Signing Key	sha256RSA	2048 bits	CN = Xinnet OV SSL O = 北京新网数码信息技术有限公司 C = CN	4B78C0324A2442784E9F83FoDoFE336C7EoD934F	3C07D7EFC8D458F668C10D4F06F90503CCD25D59E2B3F1D58B32884D9E4E3809	UCA Global G2 Root
16	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	C1AFC65B1E813BoE6146E6AA5341681272ABE9A38D59F7BD1B27B729834AoD9C	Certum Trusted Network CA
17	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	3DD69C5BE170F943F804D1D31FE8F916CoC0226CDDD7AEA9AA9AoCDFD3474361	Certum Trusted Network CA



#	Key Name	Key Type	Signature Algorithm	Key Size	Subject DN	Subject Key Identifier	Certificates Thumbprint (SHA256)	Certificate Signed by
18	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	BB61408AED9F530B2EC0545E53BA2C8EBEAA57D9976447DB1663CED4600CD6B7	Certum Trusted Network CA
19	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	BFA95C5DF164B659FA32F6D10564D7170DDE661A853A782E6AB63639433BCB41	Certum Trusted Network CA
20	UCA Extended Validation Root	Root Key	sha256RSA	4096 bits	CN = UCA Extended Validation Root O = UniTrust C = CN	D9743AE4303D0DF712DC7E5A059F1E349AF7E114	D43AF9B35473755C9684FC06D7D8CB70EE5C28E773FB294EB41EE71722924D24	UCA Extended Validation Root
21	SHECA RSA Extended Validation Code Signing CA	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Extended Validation Code Signing CA O = UniTrust C = CN	8E40665F6AA940C2B9F1F04A22639564593707E5	D404FAFA4BA2F426B66CD219C6DA84F91CoFB7CB58429EC8077E2A764314D55D	UCA Extended Validation Root
22	SHECA RSA Extended Validation Server CA	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Extended Validation Server CA O = UniTrust C = CN	3B4B252A77372AFCB97FEDA8BDAF2299FC5DC5F4	4FD6FA527157EEA463689D7A4C2B934EF222279725413893D9847242C85CA9DF	UCA Extended Validation Root
23	SHECA EV Server CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA EV Server CA G3 O = UniTrust C = CN	54E972FB78669FE5CBF33B8F98465553739CoB84	7EF3F89456CE636557B20C5DFB37F98C253A0B660D2E9E5E7845CAF9C038C7C1	UCA Extended Validation Root
24	SHECA EV Code Signing CA G2	Signing Key	sha256RSA	3072 bits	CN = SHECA EV Code Signing CA G2 O = UniTrust C = CN	5007CC4DF6F4BA37FC13CE1F2D22C956D89EA503	DD84169585A2E7A216AECDD4083265A8EB51A64F7C6F1943671F8584C73F79A74	UCA Extended Validation Root
25	SHECA OV Server CA G6	Signing Key	sha256RSA	2048 bits	CN = SHECA OV Server CA G6 O = UniTrust C = CN	FB7DCE4905B420BCFFBF0D8471ADAE0135F961A0	264DF1458FB5EF1FC9DF9F1345E84A6CC1A471CF475AE7598FF52B86713519FB	UCA Extended Validation Root
26	SHECA OV Server CA G7	Signing Key	sha256RSA	2048 bits	CN = SHECA OV Server CA G7 O = UniTrust C = CN	AoF344BA17512C7776AB4442C5534B16AB5FoDAA	F6F8BCD413C9733166E85843B468DD36E727152D9A37B15129CoE7648ECEEE639	UCA Extended Validation Root
27	SHECA Extended Validation SSL CA	Signing Key	sha256RSA	2048 bits	CN = SHECA Extended Validation SSL CA O = UniTrust C = CN	4D140DEA6B559CoCA6E1B7BE86A966D175E7CB5	25BFDB1C5FE2CCE051EC6DFBF2BB24E78C92F969B1BB37867DAEDF93D1A7AE7E	UCA Extended Validation Root



#	Key Name	Key Type	Signature Algorithm	Key Size	Subject DN	Subject Key Identifier	Certificates Thumbprint (SHA256)	Certificate Signed by
28	SHECA Extended Validation Code Signing CA	Signing Key	sha256RSA	2048 bits	CN = SHECA Extended Validation Code Signing CA O = UniTrust C = CN	7498996F6A15C0062520851CAF2B316B87EDA3DB	A392C645B9A5AD6A214F19DE776346BC7DD6BB15818E433886DAC54EE6661852	UCA Extended Validation Root
29	UniTrust Global Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global Root CA R1 O = UniTrust C = CN	3CA061B0EFDAC6E8BB2DE156A2EBBBB63D232381	81B35EFC42C77947209D76B51B5E7B122CE78348AE8C452DC8D4B30289E5385	UniTrust Global Root CA R1
30	SHECA DV Server CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA DV Server CA 1A O = UniTrust C = CN	653740E0BBF43905206A8C9CA0ACB3BBD6968CA0	D3D4A040BB41A695A96E3AAD93814CF7EF219D5819206E947B44DCC5B8E5E272	UniTrust Global Root CA R1
31	SHECA OV Server CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA OV Server CA 1A O = UniTrust C = CN	8CD02E82008EE2DEFF71F61A105C74A826E858D1	9A3DB0FoFB0FF4F974A4E0C510A7C13D350485B1E6CDF5A899BB24DoF499E9BD	UniTrust Global Root CA R1
32	SHECA EV Server CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA EV Server CA 1A O = UniTrust C = CN	73E36DF62D862F57DF69A53687231C85E0170216	2F1CA1A5CoD7AE58C7ADFC69D4C57EE815F39CoF3D1F982E3AC76D25AB723995	UniTrust Global Root CA R1
33	SHECA Code Signing CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA Code Signing CA 1A O = UniTrust C = CN	21B34B4FC6DD33246E861BACEBF182D7EFC2CDA	59E3EF6680BCC0B1162DED4929D37E698C6A5CBEE075C03F1173AD653CF91CED	UniTrust Global Root CA R1
34	SHECA EV Code Signing CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA EV Code Signing CA 1A O = UniTrust C = CN	510BE3C14EABDFEA38FF434E2C97339C0BFC27A9	03E04A3C2B5200BB27C679A37261852BAC7D46F3F371E4ECA80225AE288E4CFC	UniTrust Global Root CA R1
35	UniTrust Global Root CA R2	Root Key	sha384ECDSA	384 bits	CN = UniTrust Global Root CA R2 O = UniTrust C = CN	E45366B7B7A4E9D7CCC121E04ACFCCAC01BC72BC	78919B35D1C615595A51328A5C546083B4D5320724A258695B991F2F61C4DCC7	UniTrust Global Root CA R2
36	SHECA DV Server CA 2A	Signing Key	sha384ECDSA	384 bits	CN = SHECA DV Server CA 2A O = UniTrust C = CN	A1221170BEC8665F6ECB104C4EDB38EA9C1F914D	69201DC24E4127FFA5B41A0DDFoA1A005CooF334B003F1008924CBF998E1827C	UniTrust Global Root CA R2
37	SHECA OV Server CA 2A	Signing Key	sha384ECDSA	384 bits	CN = SHECA OV Server CA 2A O = UniTrust C = CN	98CDEC338767F39422373810B735BA7C683A8259	8E2CA2825C2039804A7A1CC54B002EA1DB30AC489698F039527BF1602132F611	UniTrust Global Root CA R2



#	Key Name	Key Type	Signature Algorithm	Key Size	Subject DN	Subject Key Identifier	Certificates Thumbprint (SHA256)	Certificate Signed by
38	SHECA EV Server CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA EV Server CA 2A O = UniTrust C = CN	44661C71EF69 B7930AB5B77 1D83B114CFA 843D77	93E49170D20F54DA7 01118A5ABDCDDA4F FCF334CDB2D8D805 99AB62848C85F80	UniTrust Global Root CA R2
39	UniTrust Global Code Signing ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global Code Signing ECC Root CA R2 O = UniTrust C = CN	D6E2F5C7B44 0515C5A3A5C 490EFCB8C23 9503CDB	8854E81F9C6B47E43 8BBAE17E41F8BE4E6 8589AFD31A48BEE3F 203F6DD3DA517	UniTrust Global Code Signing ECC Root CA R2
40	SHECA Code Signing ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA Code Signing ECC CA 2A O = UniTrust C = CN	3A5576122E38 5EB715671EE3 85BF1E3DoAC 77A1A	953707AE07AF34970 462E8C02AC3D10949 D3684D063385277F3 1869508007D23	UniTrust Global Code Signing ECC Root CA R2
41	SHECA EV Code Signing ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA EV Code Signing ECC CA 2A O = UniTrust C = CN	BFAE7906E97 76B61D01E45 79986F2698B 66DF25E	545BD126658352B306 EE74185173F1774A79 467A26E9BB6AEoED 44D86615DE5A	UniTrust Global Code Signing ECC Root CA R2
42	UniTrust Global Code Signing RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global Code Signing RSA Root CA R1 O = UniTrust C = CN	60C14C87BDA AB27B678E4E A7921C519B48 1BA860	6357353A4BBCA3D5A 158C95BE9DC90FoB3 E2F6A6310FD5371FC B4C41E5E1BB4C	UniTrust Global Code Signing RSA Root CA R1
43	UniTrust Global SMIME ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global SMIME ECC Root CA R2 O = UniTrust C = CN	2D4D94407CF FC45D4357F1 90557448CF6 CBEA343	6F4E2464D216A1EoB 558BB204259B4A545 AEB948957AA3EAF11 B2F4DE1AFEF10	UniTrust Global SMIME ECC Root CA R2
44	SHECA IV SMIME ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA IV SMIME ECC CA 2A O = UniTrust C = CN	EBC1D6F67F2 909A9928A90 B4295818A02 F3CAF1B	E82D794C1AC79F9BE BF3B6D98A237F84C1 5FD40C3ABB86C2214 E699414F8FF54	UniTrust Global SMIME ECC Root CA R2
45	SHECA MV SMIME ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA MV SMIME ECC CA 2A O = UniTrust C = CN	FE0328035B6 93E5EDC5FA EoB742735DC C38C66Fo	D7C4AB9D315AE8B8 89DA902C55264295D 8CDC0F5471370490F 4D4585E2C3C6D3	UniTrust Global SMIME ECC Root CA R2
46	SHECA OV SMIME ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA OV SMIME ECC CA 2A O = UniTrust C = CN	BD34144476B 06DoF264C3C A9C349AC715 3D4EF55	229B7FBCA2361DE63 171067DE91DFFB3D2 FA71A5ABE51CA41D5 300C5750D2FoE	UniTrust Global SMIME ECC Root CA R2



#	Key Name	Key Type	Signature Algorithm	Key Size	Subject DN	Subject Key Identifier	Certificates Thumbprint (SHA256)	Certificate Signed by
47	UniTrust Global SMIME RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global SMIME RSA Root CA R1 O = UniTrust C = CN	DF08E3E977C1FoFBF5F8D419504C7719F206CBA3	FoF255ADA2A643CoA1E7C8F54F3ED3DD25EF0E7378E76F7C127517ECFD952803	UniTrust Global SMIME RSA Root CA R1
48	SHECA IV SMIME RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA IV SMIME RSA CA 1A O = UniTrust C = CN	D38BCDC445B1E8D0AFDD8BE8E4A6B5B30A71EF4E	82BA6F1067468383757DF53F1628258043BBB972E1CAD31FD7AADoADD66A5B53	UniTrust Global SMIME RSA Root CA R1
49	SHECA MV SMIME RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA MV SMIME RSA CA 1A O = UniTrust C = CN	5A4AEFED9AE84052DA320BBB32C4E529ECDC5255	92148A115D26B287254B36164164B2220EE36B405D3B708CF5B7AB060C66B1FE	UniTrust Global SMIME RSA Root CA R1
50	SHECA OV SMIME RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA OV SMIME RSA CA 1A O = UniTrust C = CN	C061C3D053C9F412C5C9192DBB638305E4CA7EF8	6B661B964F2359C4CA68355243A2EEEDA9BACDA191D103AoC1119EC892018AC7	UniTrust Global SMIME RSA Root CA R1
51	UniTrust Global Time Stamping ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global Time Stamping ECC Root CA R2 O = UniTrust C = CN	C20E70D5E4015590A717B62DDDB5389D7627A1B7	90711D905CFF3C773A7320B5188A960C8A7D9E5966FA73284D64A4BF3E2FDA48	UniTrust Global Time Stamping ECC Root CA R2
52	SHECA Time Stamping ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA Time Stamping ECC CA 2A O = UniTrust C = CN	41315BE8FD8C3C65630168307AoB30EC097F1069	0E3FC096DDCC3205047F9042D57882A1144107243C47CDE6FFFDE403A5B7CA04	UniTrust Global Time Stamping ECC Root CA R2
53	UniTrust Global Time Stamping RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global Time Stamping RSA Root CA R1 O = UniTrust C = CN	DA891E9DC30F38DAB0896CCDC5FDD7504F155B30	1759727D9E6679B069DD3AFA910E2779C42007AAB206A169C66E6E2A3D1774B0	UniTrust Global Time Stamping RSA Root CA R1
54	UniTrust Global TLS ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global TLS ECC Root CA R2 O = UniTrust C = CN	7935AD798A95305C3E05A675161A97000F6FCC90	6C689FC6B014A1FB0CDEB5A3996171C15E7286106028532E0210CEA8D9CD4E97	UniTrust Global TLS ECC Root CA R2
55	SHECA DV TLS ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA DV TLS ECC CA 2A O = UniTrust C = CN	CB65E62F50175F2C172B433F3A043CD213569A66	D690D8722EA89CD7617901449520653339386AC4939F7EC5C1B195D9C3C95FA4	UniTrust Global TLS ECC Root CA R2



#	Key Name	Key Type	Signature Algorithm	Key Size	Subject DN	Subject Key Identifier	Certificates Thumbprint (SHA256)	Certificate Signed by
56	SHECA EV TLS ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA EV TLS ECC CA 2A O = UniTrust C = CN	B353900B5E40A4952EA85A27F413ABBAD631F233	05E4C4B1F258030690E6793C9C13C6F6AE234F68E5C41236FDC919B7F589032F	UniTrust Global TLS ECC Root CA R2
57	SHECA OV TLS ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA OV TLS ECC CA 2A O = UniTrust C = CN	A065578C43B2546C4E18DF86AED56725A9B7659C	08BA64405A3406C97BDCBD0E44224E6DD341F3EC93F1368457DFA7CAC88BE150	UniTrust Global TLS ECC Root CA R2
58	UniTrust Global TLS RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global TLS RSA Root CA R1 O = UniTrust C = CN	F2ADBFAB6708F09672E633D65175A24759C900C4	4BABE0E9328D5DAE17936F3DDAA2442BF BDD0873F92FB8D1F BBD3D9894649AD9	UniTrust Global TLS RSA Root CA R1
59	SHECA DV TLS RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA DV TLS RSA CA 1A O = UniTrust C = CN	C5E3A87F7EE DBC3E7108B34EF490EF2F2F1367D1	FFABEA74895DC0C78C224597472CF6937E0D740EF49DC2256C8E75A2A2A15EDE	UniTrust Global TLS RSA Root CA R1
60	SHECA EV TLS RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA EV TLS RSA CA 1A O = UniTrust C = CN	60651A135EA B2B98A5A1041B3057A1D02FC612E5	B2525A5966CA68CA7F504F0A21FD73847D174F89B48852A3E970588E1EAFC774	UniTrust Global TLS RSA Root CA R1
61	SHECA OV TLS RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA OV TLS RSA CA 1A O = UniTrust C = CN	F463091C1E2788B75DBBE91644B1744A34F34B46	7F8EF707C2D9A4B7D4ED5FDCC8AF4A64D99BF297D03F8F01C4375DE74B1C7DE1	UniTrust Global TLS RSA Root CA R1

注册会计师独立鉴证报告

(注意：本中文报告只作参考。正文请参阅英文报告。)

致：上海市数字证书认证中心有限公司（简称“SHECA”）管理层

范围

我们接受委托，对后附 SHECA 于 2023 年 4 月 1 日至 2024 年 3 月 31 日期间于中国上海（包括设施 1 和设施 2）运营的电子认证服务管理层认定执行了合理保证的鉴证业务。对于附录中所包括的根证书和中级证书，SHECA：

- 通过有效控制机制，以提供合理保证确保符合 CAB 论坛（CA/Browser Forum）发布的网络及证书系统安全规范（Network and Certificate System Security Requirements），

以符合 [WebTrust 电子认证规范与网络安全规范审计标准 v1.0](#)。

管理层的责任

SHECA 的管理层负责确保管理层认定，包括其陈述的客观性以及认定中描述的 SHECA 所提供的服务能够符合 WebTrust 电子认证 - 规范与网络安全规范审计标准 v1.0 的规定。

我们的独立性和质量管理

我们遵守了国际会计师职业道德准则理事会颁布的执业会计师道德守则中的独立性及其他职业道德要求。该职业道德守则以诚信、客观、专业胜任能力及应有的关注、保密和良好职业行为为基本原则。

本事务所遵循国际质量管理准则第 1 号，该准则要求事务所设计、实施并执行质量管理体系，包括与遵守职业道德要求、专业标准和适用的法律和法规要求的政策或程序。

注册会计师的责任

我们的责任是在执行鉴证工作的基础上对管理层认定发表意见。

我们根据《国际鉴证业务准则第 3000 号(修订版)——历史财务信息审计或审阅以外的鉴证业务》的规定执行了鉴证工作。该准则要求我们计划和实施工作，以形成鉴证意见。

合理保证的鉴证业务涉及实施鉴证程序，以获取有关管理层认定是否在所有重大方面符合 WebTrust 电子认证 - 规范与网络安全规范审计标准 v1.0 的充分、适当的证据。选择的鉴证程序取决于注册会计师的判断及我们对项目风险的评估。在我们的工作范围内，我们实施了包括（1）了解 SHECA 的网络和证书系统安全是否符合 CAB 论坛的相应要求；（2）测试和评估控制活动执行的有效性；以及（3）执行其他我们认为必要的鉴证程序。

SHECA 的内部控制的有效性和重要性，及其对用户及相关依赖方的控制风险评估所产生的影响，取决于控制间的相互作用以及其他存在于每个用户和相关依赖方的因素。我们并没有对用户和依赖方所负责的控制在的有效性进行任何评估工作。

我们相信，我们获取的证据是充分、适当的，为发表鉴证意见提供了基础。

固有限制

由于内部控制体系本身的限制，SHECA 满足上述要求的能力可能会受到影响，例如：控制可能未达到预防、发现或纠正错误、舞弊、对系统或信息的未授权访问，或违反内外制度或规定的要求。此外，风险的变化可能会影响本评估报告在将来时间的参考价值。

意见

我们认为，SHECA 于 2023 年 4 月 1 日至 2024 年 3 月 31 日期间的电子认证服务的管理层认定在所有重大方面符合 WebTrust 电子认证 -规范与网络安全规范审计标准 v1.0。

强调事项

我们提请使用者关注，本报告并不包括任何在 WebTrust 电子认证 -规范与网络安全规范审计标准 v1.0 以外的质量标准声明，或对任何客户对 SHECA 服务的合适性声明。

其他事项

UniTrust Global Root CA R1（附录 A#29），UniTrust Global Root CA R2（附录 A#35）在 2023 年 4 月 1 日至 2024 年 3 月 31 日期间未颁发证书，仅保持在线以提供吊销状态信息。

目的及使用和分发限制

管理层认定为在 SHECA 网站¹上获取并展示 WebTrust Seal 编制，并采用为该目的而设计的 WebTrust 电子认证 -规范与网络安全规范审计标准 v1.0，因此后附 SHECA 管理层认定可能不适用于其他目的。本报告仅向 SHECA 管理层出具，用作向 WebTrust 电子认证 -规范与网络安全规范审计标准 v1.0 相关机构提交报告后，在 SHECA 网站上获取并展示 WebTrust Seal，不应向任何其它方分发或为其他目的使用。我们不会就本报告的内容向任何其他人士负上或承担任何责任。

WebTrust seal 的使用

在 SHECA 网站上的 WebTrust 电子认证标识是本报告内容的一种符号表示，它并不是为了也不应被认为是对本报告的更新或任何进一步的保证。

¹ SHECA 网站维护和网站的真实完整是公司管理层的职责。我们执行的鉴证程序不包含对该等事项的考虑，因此，对出具本鉴证报告所依赖的 SHECA 管理层认定或鉴证报告与网站所显示信息的任何差异我们均不承担责任。



羅兵咸永道

羅兵咸永道會計師事務所
註冊會計師

香港，2024年5月24日

附录 A

下表列示本报告所包括的密钥和证书：

#	密钥名称	密钥种类	密钥算法	密钥长度	主体识别名	密钥 ID	证书指纹 (SHA256)	证书签发者
1	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	9BEA11C976FE014764C1BE56A6F914B5A560317ABD9988393382E5161AA0493C	UCA Global G2 Root
2	SHECA SMIME CA G1	Signing Key	sha256RSA	2048 bits	CN = SHECA SMIME CA G1 O = UniTrust C = CN	1FA80B4DCF9CA6A53ADAB096AB9957B90A9B7F5D	8100D384D6C4529883C37C37C68FD4903C41CCBCB9033A9C733A6AF0806E1DE7	UCA Global G2 Root
3	SHECA RSA Code Signing CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Code Signing CA G3 O = UniTrust C = CN	FD7EC87AC2771C5687D2AEF807C7426A1B7C42A8	C7E976AA77E92491C269840B2F1461E65147A2BB181EE59AB63BCD86704FE456	UCA Global G2 Root
4	SHECA RSA Domain Validation Server CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Domain Validation Server CA G3 O = UniTrust C = CN	057A4D756FFDoA83B1671675773E14C5F53C548E	0A552A65F22FF820E7EC3D43BBF88B02ABC34BD247E0C3505891B6342F16A5F2	UCA Global G2 Root
5	SHECA RSA Organization Validation Server CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Organization Validation Server CA G3 O = UniTrust C = CN	316068091E32F9F6CCC06215AA7B91AF4C119D40	26FD4C4367E463D39C71796AE4010E53380DC93BC132FB019D6718A6873E81F4	UCA Global G2 Root
6	SHECA DV Server CA G5	Signing Key	sha256RSA	2048 bits	CN = SHECA DV Server CA G5 O = UniTrust C = CN	D8E7061B645FAB3008887A2453AAE11C8304BF6D	778C516DAEC700EE58B3581E411E5C0DD478663A5163A29895341507D6E964DD	UCA Global G2 Root
7	SHECA OV Server CA G5	Signing Key	sha256RSA	2048 bits	CN = SHECA OV Server CA G5 O = UniTrust C = CN	0379A38D525FD4E988921F4358542502F4878B7E	8AB3A0ACF289E6EF754BE449236843D67F45C191BDDD66484B85E6E60556A9AF	UCA Global G2 Root
8	SHECA EV Server CA G2	Signing Key	sha256RSA	2048 bits	CN = SHECA EV Server CA G2 O = UniTrust C = CN	86B148C0420A9C6F81FC4FDCD10F184BAB5A6EA	4216527163AD2CAA825D3BF48F61A7661D0ABC89B58AB76B23A1E10999F0769F	UCA Global G2 Root
9	SHECA Code Signing CA G4	Signing Key	sha256RSA	3072 bits	CN = SHECA Code Signing CA G4 O = UniTrust C = CN	73C3B39021CBF23BDA23D351F295C58BC678EE47	8FoC3E06A16E3EA7C9B15A848076ED15E51DA0B6F1AFA274EDE2B9102191FE0F	UCA Global G2 Root



羅兵咸永道

#	密钥名称	密钥种类	密钥算法	密钥长度	主体识别名	密钥 ID	证书指纹 (SHA256)	证书签发者
10	TrustAsia RSA DV TLS CA - S1	Signing Key	sha256RSA	2048 bits	CN = TrustAsia RSA DV TLS CA - S1 O = TrustAsia Technologies, Inc. C = CN	9432E0D48ACD1D93E75C5372960C5EF1F3F67972	074ADD7F1E73EB110EC8E2B78A92C51CF5A451135B6F7DEFCC019EE9D74BFA4D6	UCA Global G2 Root
11	TrustAsia RSA OV TLS CA - S1	Signing Key	sha256RSA	2048 bits	CN = TrustAsia RSA OV TLS CA - S1 O = TrustAsia Technologies, Inc. C = CN	F575D48E293E17A8A9C49EDCE6DB0A344D132AEB	D16BA9ACB74FEE4AA8087EE482E86E7F6F5F55FAC5025639730753FE1E705E3C	UCA Global G2 Root
12	SHECA Global G3 SSL	Signing Key	sha256RSA	2048 bits	CN = SHECA Global G3 SSL O = UniTrust S = Shanghai C = CN	9820F0F1D942A6DE833F991019003D6868D20181	AEFFE4335EE56422E927F45E95AE142B9EB35979A7400569AE9BDEA6CAABC1DC	UCA Global G2 Root
13	SHECA Global G3 Code Signing	Signing Key	sha256RSA	2048 bits	CN = SHECA Global G3 Code Signing O = UniTrust S = Shanghai C = CN	F73DF939A8D98754AC778EF5D995EEF835AB9439	EAA5AD8E9A2FA992354B2FF4254BEB08A632F7F17602604DDE D58D73D616D844	UCA Global G2 Root
14	Xinnet DV SSL	Signing Key	sha256RSA	2048 bits	CN = Xinnet DV SSL O = 北京新网数码信息技术有限公司 C = CN	9D3AA5B8E2212783643FF578DC22B04E6BCB36D4	9C53902F9501F6D89766999DBE2AD1A1436420B652535CDC2DC51CCFE2FFEE68	UCA Global G2 Root
15	Xinnet OV SSL	Signing Key	sha256RSA	2048 bits	CN = Xinnet OV SSL O = 北京新网数码信息技术有限公司 C = CN	4B78C0324A2442784E9F83FoDoFE336C7EoD934F	3C07D7EFC8D458F668C10D4F06F90503CCD25D59E2B3F1D58B32884D9E4E3809	UCA Global G2 Root
16	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	C1AFC65B1E813BoE6146E6AA5341681272ABE9A38D59F7BD1B27B729834AoD9C	Certum Trusted Network CA
17	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	3DD69C5BE170F943F804D1D31FE8F916CoC0226CDDD7AEA9AA9AoCDFD3474361	Certum Trusted Network CA
18	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	BB61408AED9F530B2EC0545E53BA2C8EBEAA57D9976447DB1663CED4600CD6B7	Certum Trusted Network CA



#	密钥名称	密钥种类	密钥算法	密钥长度	主体识别名	密钥 ID	证书指纹 (SHA256)	证书签发者
19	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	BFA95C5DF164B659FA32F6D10564D7170DDE661A853A782E6AB63639433BCB41	Certum Trusted Network CA
20	UCA Extended Validation Root	Root Key	sha256RSA	4096 bits	CN = UCA Extended Validation Root O = UniTrust C = CN	D9743AE4303DoDF712DC7E5A059F1E349AF7E114	D43AF9B35473755C9684FC06D7D8CB70EE5C28E773FB294EB41EE71722924D24	UCA Extended Validation Root
21	SHECA RSA Extended Validation Code Signing CA	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Extended Validation Code Signing CA O = UniTrust C = CN	8E40665F6AA940C2B9F1F04A22639564593707E5	D404FAFA4BA2F426B66CD219C6DA84F91CoFB7CB58429EC8077E2A764314D55D	UCA Extended Validation Root
22	SHECA RSA Extended Validation Server CA	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Extended Validation Server CA O = UniTrust C = CN	3B4B252A77372AFCB97FEDA8BDAF2299FC5DC5F4	4FD6FA527157EEA463689D7A4C2B934EF222279725413893D9847242C85CA9DF	UCA Extended Validation Root
23	SHECA EV Server CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA EV Server CA G3 O = UniTrust C = CN	54E972FB78669FE5CBF33B8F98465553739CoB84	7EF3F89456CE636557B20C5DFB37F98C253AoB660D2E9E5E7845CAF9Co38C7C1	UCA Extended Validation Root
24	SHECA EV Code Signing CA G2	Signing Key	sha256RSA	3072 bits	CN = SHECA EV Code Signing CA G2 O = UniTrust C = CN	5007CC4DF6F4BA37FC13CE1F2D22C956D89EA503	DD84169585A2E7A216AECD4083265A8EB51A64F7C6F1943671F8584C73F79A74	UCA Extended Validation Root
25	SHECA OV Server CA G6	Signing Key	sha256RSA	2048 bits	CN = SHECA OV Server CA G6 O = UniTrust C = CN	FB7DCE4905B420BCFFBF0D8471ADAE0135F961A0	264DF1458FB5EF1FC9DF9F1345E84A6CC1A471CF475AE7598FF52B86713519FB	UCA Extended Validation Root
26	SHECA OV Server CA G7	Signing Key	sha256RSA	2048 bits	CN = SHECA OV Server CA G7 O = UniTrust C = CN	AoF344BA17512C7776AB4442C5534B16AB5FoDAA	F6F8BCD413C9733166E85843B468DD36E727152D9A37B15129CoE7648ECEEE639	UCA Extended Validation Root
27	SHECA Extended Validation SSL CA	Signing Key	sha256RSA	2048 bits	CN = SHECA Extended Validation SSL CA O = UniTrust C = CN	4D140DEA6B559CoCA6E1BB7BE86A966D175E7CB5	25BFDB1C5FE2CCE051EC6DFBF2BB24E78C92F969B1BB37867DAEDF93D1A7AE7E	UCA Extended Validation Root



羅兵咸永道

#	密钥名称	密钥种类	密钥算法	密钥长度	主体识别名	密钥 ID	证书指纹 (SHA256)	证书签发者
28	SHECA Extended Validation Code Signing CA	Signing Key	sha256RSA	2048 bits	CN = SHECA Extended Validation Code Signing CA O = UniTrust C = CN	7498996F6A15C0062520851CAF2B316B87EDA3DB	A392C645B9A5AD6A214F19DE776346BC7DD6BB15818E433886DAC54EE6661852	UCA Extended Validation Root
29	UniTrust Global Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global Root CA R1 O = UniTrust C = CN	3CA061BoEF DAC6E8BB2DE156A2EBBBB63D232381	81B35EFC42C77947209D76B51B5E7B122CE78348AE8C4525DC8D4B30289E5385	UniTrust Global Root CA R1
30	SHECA DV Server CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA DV Server CA 1A O = UniTrust C = CN	653740EoBBF43905206A8C9CAoACB3BB D6968CAo	D3D4A040BB41A695A96E3AAD93814CF7EF219D5819206E947B44DCC5B8E5E272	UniTrust Global Root CA R1
31	SHECA OV Server CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA OV Server CA 1A O = UniTrust C = CN	8CD02E82008EE2DEFF71F61A105C74A826E858D1	9A3DBoFoFB0FF4F974A4E0C510A7C13D350485B1E6CDF5A899BB24DoF499E9BD	UniTrust Global Root CA R1
32	SHECA EV Server CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA EV Server CA 1A O = UniTrust C = CN	73E36DF62D862F57DF69A53687231C85E0170216	2F1CA1A5CoD7AE58C7ADFC69D4C57EE815F39CoF3D1F982E3AC76D25AB723995	UniTrust Global Root CA R1
33	SHECA Code Signing CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA Code Signing CA 1A O = UniTrust C = CN	21B34B4FC6DD33246E861BACEBF182D7E FCA2CDA	59E3EF6680BCCoB1162DED4929D37E698C6A5CBEE075Co3F1173AD653CF91CED	UniTrust Global Root CA R1
34	SHECA EV Code Signing CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA EV Code Signing CA 1A O = UniTrust C = CN	510BE3C14EABDFEA38FF434E2C97339C0BFC27A9	03E04A3C2B5200BB27C679A37261852BAC7D46F3F371E4ECA80225AE288E4CFC	UniTrust Global Root CA R1
35	UniTrust Global Root CA R2	Root Key	sha384ECDSA	384 bits	CN = UniTrust Global Root CA R2 O = UniTrust C = CN	E45366B7B7A4E9D7CCC121E04ACFCCAC01BC72BC	78919B35D1C615595A51328A5C546083B4D5320724A258695B991F2F61C4DCC7	UniTrust Global Root CA R2
36	SHECA DV Server CA 2A	Signing Key	sha384ECDSA	384 bits	CN = SHECA DV Server CA 2A O = UniTrust C = CN	A1221170BEC8665F6ECB104C4EDB38EA9C1F914D	69201DC24E4127FFA5B41A0DDFoA1A005C00F334B003F1008924CBF998E1827C	UniTrust Global Root CA R2
37	SHECA OV Server CA 2A	Signing Key	sha384ECDSA	384 bits	CN = SHECA OV Server CA 2A O = UniTrust C = CN	98CDEC338767F39422373810B735BA7C683A8259	8E2CA2825C2039804A7A1CC54B002EA1DB30AC489698F039527BF1602132F611	UniTrust Global Root CA R2



#	密钥名称	密钥种类	密钥算法	密钥长度	主体识别名	密钥 ID	证书指纹 (SHA256)	证书签发者
38	SHECA EV Server CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA EV Server CA 2A O = UniTrust C = CN	44661C71EF69 B7930AB5B77 1D83B114CFA 843D77	93E49170D20F54DA7 01118A5ABDCDDA4F FCF334CDB2D8D805 99AB62848C85F80	UniTrust Global Root CA R2
39	UniTrust Global Code Signing ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global Code Signing ECC Root CA R2 O = UniTrust C = CN	D6E2F5C7B44 0515C5A3A5C 490EFCB8C23 9503CDB	8854E81F9C6B47E43 8BBAE17E41F8BE4E6 8589AFD31A48BEE3F 203F6DD3DA517	UniTrust Global Code Signing ECC Root CA R2
40	SHECA Code Signing ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA Code Signing ECC CA 2A O = UniTrust C = CN	3A5576122E38 5EB715671EE3 85BF1E3DoAC 77A1A	953707AE07AF34970 462E8C02AC3D10949 D3684D063385277F3 1869508007D23	UniTrust Global Code Signing ECC Root CA R2
41	SHECA EV Code Signing ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA EV Code Signing ECC CA 2A O = UniTrust C = CN	BFAE7906E97 76B61D01E45 79986F2698B 66DF25E	545BD126658352B306 EE74185173F1774A79 467A26E9BB6AE0ED 44D86615DE5A	UniTrust Global Code Signing ECC Root CA R2
42	UniTrust Global Code Signing RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global Code Signing RSA Root CA R1 O = UniTrust C = CN	60C14C87BDA AB27B678E4E A7921C519B48 1BA860	6357353A4BBCA3D5A 158C95BE9DC90F0B3 E2F6A6310FD5371FC B4C41E5E1BB4C	UniTrust Global Code Signing RSA Root CA R1
43	UniTrust Global SMIME ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global SMIME ECC Root CA R2 O = UniTrust C = CN	2D4D94407CF FC45D4357F1 90557448CF6 CBEA343	6F4E2464D216A1E0B 558BB204259B4A545 AEB948957AA3EAF11 B2F4DE1AFEF10	UniTrust Global SMIME ECC Root CA R2
44	SHECA IV SMIME ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA IV SMIME ECC CA 2A O = UniTrust C = CN	EBC1D6F67F2 909A9928A90 B4295818A02 F3CAF1B	E82D794C1AC79F9BE BF3B6D98A237F84C1 5FD40C3ABB86C2214 E699414F8FF54	UniTrust Global SMIME ECC Root CA R2
45	SHECA MV SMIME ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA MV SMIME ECC CA 2A O = UniTrust C = CN	FE0328035B6 93E5EDC5FA E0B742735DC C38C66F0	D7C4AB9D315AE8B8 89DA902C55264295D 8CDC0F5471370490F 4D4585E2C3C6D3	UniTrust Global SMIME ECC Root CA R2
46	SHECA OV SMIME ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA OV SMIME ECC CA 2A O = UniTrust C = CN	BD34144476B 06DoF264C3C A9C349AC715 3D4EF55	229B7FBCA2361DE63 171067DE91DFFB3D2 FA71A5ABE51CA41D5 300C5750D2FoE	UniTrust Global SMIME ECC Root CA R2



#	密钥名称	密钥种类	密钥算法	密钥长度	主体识别名	密钥 ID	证书指纹 (SHA256)	证书签发者
47	UniTrust Global SMIME RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global SMIME RSA Root CA R1 O = UniTrust C = CN	DF08E3E977C1F0FBF5F8D419504C7719F206CBA3	FoF255ADA2A643CoA1E7C8F54F3ED3DD25EF0E7378E76F7C127517ECFD952803	UniTrust Global SMIME RSA Root CA R1
48	SHECA IV SMIME RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA IV SMIME RSA CA 1A O = UniTrust C = CN	D38BCDC445B1E8D0AFDD8BE8E4A6B5B30A71EF4E	82BA6F1067468383757DF53F1628258043BBB972E1CAD31FD7AADoADD66A5B53	UniTrust Global SMIME RSA Root CA R1
49	SHECA MV SMIME RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA MV SMIME RSA CA 1A O = UniTrust C = CN	5A4AEFED9AE84052DA320BBB32C4E529ECDC5255	92148A115D26B287254B36164164B2220EE36B405D3B708CF5B7AB060C66B1FE	UniTrust Global SMIME RSA Root CA R1
50	SHECA OV SMIME RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA OV SMIME RSA CA 1A O = UniTrust C = CN	Co61C3D053C9F412C5C9192DBB638305E4CA7EF8	6B661B964F2359C4CA68355243A2EEEDA9BACDA191D103A0C1119EC892018AC7	UniTrust Global SMIME RSA Root CA R1
51	UniTrust Global Time Stamping ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global Time Stamping ECC Root CA R2 O = UniTrust C = CN	C20E70D5E4015590A717B62DDDB5389D7627A1B7	90711D905CFF3C773A7320B5188A960C8A7D9E5966FA73284D64A4BF3E2FDA48	UniTrust Global Time Stamping ECC Root CA R2
52	SHECA Time Stamping ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA Time Stamping ECC CA 2A O = UniTrust C = CN	41315BE8FD8C3C65630168307A0B30ECo97F1069	0E3FC096DDCC3205047F9042D57882A1144107243C47CDE6FFFDE403A5B7CA04	UniTrust Global Time Stamping ECC Root CA R2
53	UniTrust Global Time Stamping RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global Time Stamping RSA Root CA R1 O = UniTrust C = CN	DA891E9DC30F38DAB0896CCDC5FDD7504F155B30	1759727D9E6679B069DD3AFA910E2779C42007AAB206A169C66E6E2A3D1774B0	UniTrust Global Time Stamping RSA Root CA R1
54	UniTrust Global TLS ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global TLS ECC Root CA R2 O = UniTrust C = CN	7935AD798A95305C3E05A675161A97000F6FCC90	6C689FC6B014A1FB0CDEB5A3996171C15E7286106028532E0210CEA8D9CD4E97	UniTrust Global TLS ECC Root CA R2
55	SHECA DV TLS ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA DV TLS ECC CA 2A O = UniTrust C = CN	CB65E62F50175F2C172B433F3A043CD213569A66	D690D8722EA89CD7617901449520653339386AC4939F7EC5C1B195D9C3C95FA4	UniTrust Global TLS ECC Root CA R2



#	密钥名称	密钥种类	密钥算法	密钥长度	主体识别名	密钥 ID	证书指纹 (SHA256)	证书签发者
56	SHECA EV TLS ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA EV TLS ECC CA 2A O = UniTrust C = CN	B353900B5E4 0A4952EA85A 27F413ABBAD 631F233	05E4C4B1F25803069 0E6793C9C13C6F6AE 234F68E5C41236FDC 919B7F589032F	UniTrust Global TLS ECC Root CA R2
57	SHECA OV TLS ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA OV TLS ECC CA 2A O = UniTrust C = CN	A065578C43B 2546C4E18DF 86AED56725A 9B7659C	08BA64405A3406C97 BDCBD0E44224E6DD 341F3EC93F1368457D FA7CAC88BE150	UniTrust Global TLS ECC Root CA R2
58	UniTrust Global TLS RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global TLS RSA Root CA R1 O = UniTrust C = CN	F2ADBFAB67 08F09672E63 3D65175A2475 9C900C4	4BABE0E9328D5DAE 17936F3DDAA2442BF BDD0873F92FB8D1F BBD3D9894649AD9	UniTrust Global TLS RSA Root CA R1
59	SHECA DV TLS RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA DV TLS RSA CA 1A O = UniTrust C = CN	C5E3A87F7EE DBC3E7108B3 4EF490EF2F2 F1367D1	FFABEA74895DC0C7 8C224597472CF6937E 0D740EF49DC2256C8 E75A2A2A15EDE	UniTrust Global TLS RSA Root CA R1
60	SHECA EV TLS RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA EV TLS RSA CA 1A O = UniTrust C = CN	60651A135EA B2B98A5A104 1B3057A1D02 FC612E5	B2525A5966CA68CA7 F504F0A21FD73847D 174F89B48852A3E97 0588E1EAF774	UniTrust Global TLS RSA Root CA R1
61	SHECA OV TLS RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA OV TLS RSA CA 1A O = UniTrust C = CN	F463091C1E27 88B75DBBE91 644B1744A34 F34B46	7F8EF707C2D9A4B7D 4ED5FDDC8AF4A64D 99BF297D03F8F01C4 375DE74B1C7DE1	UniTrust Global TLS RSA Root CA R1



Shanghai Electronic Certificate Authority Co.,Ltd

Shanghai Electronic Certificate Authority
Co.,Ltd
18th Floor,
No.1717, North Sichuan Rd, Shanghai,
China
Tel: (021) 36393199
Fax: (021) 36393200
<https://www.sheca.com/>

PricewaterhouseCoopers
22/F, Prince's Building, Central, Hong Kong

May 24, 2024

Dear Sirs,

Assertion of Management as to the Disclosure of Business Practices and Controls over the Certification Authority - Network Security during the period from April 1, 2023 through March 31, 2024

Shanghai Electronic Certificate Authority Co., Ltd. ("SHECA") operates the Certification Authority (CA) services known as its Root and Subordinate CAs (please refer to the appendix) for Network Security Requirements and provides SSL and non-SSL CA services.

The management of SHECA is responsible for establishing and maintaining effective controls over its SSL and non-SSL CA operations, including its network and certificate security system controls. These controls contain monitoring mechanisms, and actions are taken to correct deficiencies identified.


There are inherent limitations in any controls, including the possibility of human error, and the circumvention or overriding of controls. Accordingly, even effective controls can only provide reasonable assurance with respect to SHECA's Certification Authority operations. Furthermore, because of changes in conditions, the effectiveness of controls may vary over time.

SHECA management has assessed its controls over its CA services. Based on that assessment, in providing its SSL and non-SSL Certification Authority (CA) services at Shanghai (including Facility 1 and Facility 2), China, throughout the period April 1, 2023 to March 31, 2024, SHECA has:

- maintained effective controls to provide reasonable assurance that it meets the Network and Certificate System Security Requirements as set forth by the CA/Browser Forum,

in accordance with the [WebTrust Principles and Criteria for Certification Authorities – Network Security v1.0](#).

The UniTrust Global Root CA R1 (Appendix #29), UniTrust Global Root CA R2 (Appendix #35) CAs did not issue certificates during the period April 1, 2023 to March 31, 2024 and were maintained online to provide revocation status information only.



Mr. Cui Jiuqiang
General Manager of Shanghai Electronic Certificate Authority Co., Ltd.



Appendix

The list of keys and certificates covered in the management's assertion is as follow:

#	Key Name	Key Type	Signature Algorithm	Key Size	Subject DN	Subject Key Identifier	Certificates Thumbprint (SHA256)	Certificate Signed by
1	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	9BEA11C976FE014764C1BE56A6F914B5A560317ABD9988393382E5161AA0493C	UCA Global G2 Root
2	SHECA SMIME CA G1	Signing Key	sha256RSA	2048 bits	CN = SHECA SMIME CA G1 O = UniTrust C = CN	1FA80B4DCF9CA6A53ADAB096AB9957B90A9B7F5D	8100D384D6C4529883C37C37C68FD4903C41CCBCB9033A9C733A6AF0806E1DE7	UCA Global G2 Root
3	SHECA RSA Code Signing CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Code Signing CA G3 O = UniTrust C = CN	FD7EC87AC2771C5687D2AEF807C7426A1B7C42A8	C7E976AA77E92491C269840B2F1461E65147A2BB181EE59AB63BCD86704FE456	UCA Global G2 Root
4	SHECA RSA Domain Validation Server CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Domain Validation Server CA G3 O = UniTrust C = CN	057A4D756FFDoA83B1671675773E14C5F53C548E	0A552A65F22FF820E7EC3D43BBF88B02ABC34BD247E0C3505891B6342F16A5F2	UCA Global G2 Root
5	SHECA RSA Organization Validation Server CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Organization Validation Server CA G3 O = UniTrust C = CN	316068091E32F9F6CCC06215AA7B91AF4C119D40	26FD4C4367E463D39C71796AE4010E53380DC93BC132FB019D6718A6873E81F4	UCA Global G2 Root
6	SHECA DV Server CA G5	Signing Key	sha256RSA	2048 bits	CN = SHECA DV Server CA G5 O = UniTrust C = CN	D8E7061B645FAB3008887A2453AAE11C8304BF6D	778C516DAEC700EE58B3581E411E5CoDD478663A5163A29895341507D6E964DD	UCA Global G2 Root
7	SHECA OV Server CA G5	Signing Key	sha256RSA	2048 bits	CN = SHECA OV Server CA G5 O = UniTrust C = CN	0379A38D525FD4E988921F4358542502F4878B7E	8AB3A0ACF289E6EF754BE449236843D67F45C191BDDDD66484B85E6E60556A9AF	UCA Global G2 Root
8	SHECA EV Server CA G2	Signing Key	sha256RSA	2048 bits	CN = SHECA EV Server CA G2 O = UniTrust C = CN	86B148C0420A9C6F81FC4FDCD10F184BAAB5A6EA	4216527163AD2CAA825D3BF48F61A7661D0ABC89B58AB76B23A1E10999F0769F	UCA Global G2 Root
9	SHECA Code Signing CA G4	Signing Key	sha256RSA	3072 bits	CN = SHECA Code Signing CA G4 O = UniTrust C = CN	73C3B39021CBF23BDA23D351F295C58BC678EE47	8FoC3E06A16E3EA7C9B15A848076ED15E51DA0B6F1AFA274EDE2B9102191FEOF	UCA Global G2 Root
10	TrustAsia RSA DV TLS CA - S1	Signing Key	sha256RSA	2048 bits	CN = TrustAsia RSA DV TLS CA - S1 O = TrustAsia Technologies, Inc. C = CN	9432E0D48ACD1D93E75C5372960C5EF1F3F67972	074ADD7F1E73EB110EC8E2B78A92C51CF5A451135B6F7DEFC019EE9D74BFA4D6	UCA Global G2 Root

#	Key Name	Key Type	Signature Algorithm	Key Size	Subject DN	Subject Key Identifier	Certificates Thumbprint (SHA256)	Certificate Signed by
11	TrustAsia RSA OV TLS CA - S1	Signing Key	sha256RSA	2048 bits	CN = TrustAsia RSA OV TLS CA - S1 O = TrustAsia Technologies, Inc. C = CN	F575D48E293E17A8A9C49EDCE6DB0A344D132AEB	D16BA9ACB74FEE4AA8087EE482E86E7F6F5F55FAC5025639730753FE1E705E3C	UCA Global G2 Root
12	SHECA Global G3 SSL	Signing Key	sha256RSA	2048 bits	CN = SHECA Global G3 SSL O = UniTrust S = Shanghai C = CN	9820FoF1D942A6DE833F991019003D6868D20181	AEFFE4335EE56422E927F45E95AE142B9EB35979A7400569AE9BDEA6CAABC1DC	UCA Global G2 Root
13	SHECA Global G3 Code Signing	Signing Key	sha256RSA	2048 bits	CN = SHECA Global G3 Code Signing O = UniTrust S = Shanghai C = CN	F73DF939A8D98754AC778EF5D995EEF835AB9439	EAA5AD8E9A2FA992354B2FF4254BEB08A632F7F17602604DDED58D73D616D844	UCA Global G2 Root
14	Xinnet DV SSL	Signing Key	sha256RSA	2048 bits	CN = Xinnet DV SSL O = 北京新网数码信息技术有限公司 C = CN	9D3AA5B8E2212783643FF578DC22B04E6BCB36D4	9C53902F9501F6D89766999DBE2AD1A1436420B652535CDC2DC51CCFE2FFEE68	UCA Global G2 Root
15	Xinnet OV SSL	Signing Key	sha256RSA	2048 bits	CN = Xinnet OV SSL O = 北京新网数码信息技术有限公司 C = CN	4B78C0324A2442784E9F83FoDoFE336C7EoD934F	3C07D7EFC8D458F668C10D4F06F90503CCD25D59E2B3F1D58B32884D9E4E3809	UCA Global G2 Root
16	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	C1AFC65B1E813B0E6146E6AA5341681272ABE9A38D59F7BD1B27B729834A0D9C	Certum Trusted Network CA
17	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	3DD69C5BE170F943F804D1D31FE8F916CoC0226CDDD7AEA9AA9AoCDFD3474361	Certum Trusted Network CA
18	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	BB61408AED9F530B2EC0545E53BA2C8EBEAA57D9976447DB1663CED4600CD6B7	Certum Trusted Network CA
19	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	BFA95C5DF164B659FA32F6D10564D7170DDE661A853A782E6AB63639433BCB41	Certum Trusted Network CA
20	UCA Extended Validation Root	Root Key	sha256RSA	4096 bits	CN = UCA Extended Validation Root O = UniTrust C = CN	D9743AE4303DoDF712DC7E5A059F1E349AF7E114	D43AF9B35473755C9684FC06D7D8CB70EE5C28E773FB294EB41EE71722924D24	UCA Extended Validation Root

#	Key Name	Key Type	Signature Algorithm	Key Size	Subject DN	Subject Key Identifier	Certificates Thumbprint (SHA256)	Certificate Signed by
21	SHECA RSA Extended Validation Code Signing CA	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Extended Validation Code Signing CA O = UniTrust C = CN	8E40665F6AA940C2B9F1F04A22639564593707E5	D404FAFA4BA2F426B66CD219C6DA84F91CoFB7CB58429EC8077E2A764314D55D	UCA Extended Validation Root
22	SHECA RSA Extended Validation Server CA	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Extended Validation Server CA O = UniTrust C = CN	3B4B252A77372AFCB97FEDA8BDAF2299FC5DC5F4	4FD6FA527157EEA463689D7A4C2B934EF222279725413893D9847242C85CA9DF	UCA Extended Validation Root
23	SHECA EV Server CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA EV Server CA G3 O = UniTrust C = CN	54E972FB78669FE5CBF33B8F98465553739CoB84	7EF3F89456CE636557B20C5DFB37F98C253AoB660D2E9E5E7845CAF9C038C7C1	UCA Extended Validation Root
24	SHECA EV Code Signing CA G2	Signing Key	sha256RSA	3072 bits	CN = SHECA EV Code Signing CA G2 O = UniTrust C = CN	5007CC4DF6F4BA37FC13CE1F2D22C956D89EA503	DD84169585A2E7A216AECDD4083265A8EB51A64F7C6F1943671F8584C73F79A74	UCA Extended Validation Root
25	SHECA OV Server CA G6	Signing Key	sha256RSA	2048 bits	CN = SHECA OV Server CA G6 O = UniTrust C = CN	FB7DCE4905B420BCFFBF0D8471ADAE0135F961A0	264DF1458FB5EF1FC9DF9F1345E84A6CC1A471CF475AE7598FF52B86713519FB	UCA Extended Validation Root
26	SHECA OV Server CA G7	Signing Key	sha256RSA	2048 bits	CN = SHECA OV Server CA G7 O = UniTrust C = CN	AoF344BA17512C7776AB4442C5534B16AB5FoDAA	F6F8BCD413C9733166E85843B468DD36E727152D9A37B15129CoE7648ECEE639	UCA Extended Validation Root
27	SHECA Extended Validation SSL CA	Signing Key	sha256RSA	2048 bits	CN = SHECA Extended Validation SSL CA O = UniTrust C = CN	4D140DEA6B559CoCA6E1B7BE86A966D175E7CB5	25BFDB1C5FE2CCE051EC6DFBF2BB24E78C92F969B1BB37867DAEDF93D1A7AE7E	UCA Extended Validation Root
28	SHECA Extended Validation Code Signing CA	Signing Key	sha256RSA	2048 bits	CN = SHECA Extended Validation Code Signing CA O = UniTrust C = CN	7498996F6A15C0062520851CAF2B316B87EDA3DB	A392C645B9A5AD6A214F19DE776346BC7DD6BB15818E433886DAC54EE6661852	UCA Extended Validation Root
29	UniTrust Global Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global Root CA R1 O = UniTrust C = CN	3CA061BoEFDAC6E8BB2DE156A2EBBBB63D232381	81B35EFC42C77947209D76B51B5E7B122CE78348AE8C4525DC8D4B30289E5385	UniTrust Global Root CA R1
30	SHECA DV Server CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA DV Server CA 1A O = UniTrust C = CN	653740EoBBF43905206A8C9CAoACB3BBD6968CAo	D3D4A040BB41A695A96E3AAD93814CF7EF219D5819206E947B44DCC5B8E5E272	UniTrust Global Root CA R1
31	SHECA OV Server CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA OV Server CA 1A O = UniTrust C = CN	8CD02E82008EE2DEFF71F61A105C74A826E858D1	9A3DBoFoFBoFF4F974A4EoC510A7C13D350485B1E6CDF5A899BB24DoF499E9BD	UniTrust Global Root CA R1

#	Key Name	Key Type	Signature Algorithm	Key Size	Subject DN	Subject Key Identifier	Certificates Thumbprint (SHA256)	Certificate Signed by
32	SHECA EV Server CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA EV Server CA 1A O = UniTrust C = CN	73E36DF62D862F57DF69A53687231C85E0170216	2F1CA1A5CoD7AE58C7ADFC69D4C57EE815F39CoF3D1F982E3AC76D25AB723995	UniTrust Global Root CA R1
33	SHECA Code Signing CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA Code Signing CA 1A O = UniTrust C = CN	21B34B4FC6D D33246E861B ACEBF182D7E FCA2CDA	59E3EF6680BCCoB1162DED4929D37E698C6A5CBEE075Co3F1173AD653CF91CED	UniTrust Global Root CA R1
34	SHECA EV Code Signing CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA EV Code Signing CA 1A O = UniTrust C = CN	510BE3C14EABDFEA38FF434E2C97339C0BFC27A9	03E04A3C2B5200BB27C679A37261852BAC7D46F3F371E4ECA80225AE288E4CFC	UniTrust Global Root CA R1
35	UniTrust Global Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global Root CA R2 O = UniTrust C = CN	E45366B7B7A4E9D7CCC121E04ACFCCAC01BC72BC	78919B35D1C615595A51328A5C546083B4D5320724A258695B991F2F61C4DCC7	UniTrust Global Root CA R2
36	SHECA DV Server CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA DV Server CA 2A O = UniTrust C = CN	A1221170BEC8665F6ECB104C4EDB38EA9C1F914D	69201DC24E4127FFA5B41A0DDFoA1A005CooF334Bo03F1008924CBF998E1827C	UniTrust Global Root CA R2
37	SHECA OV Server CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA OV Server CA 2A O = UniTrust C = CN	98CDEC338767F39422373810B735BA7C683A8259	8E2CA2825C2039804A7A1CC54Bo02EA1DB30AC489698F039527BF1602132F611	UniTrust Global Root CA R2
38	SHECA EV Server CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA EV Server CA 2A O = UniTrust C = CN	44661C71EF69B7930AB5B771D83B114CFA843D77	93E49170D20F54DA701118A5ABDCDDA4FFCF334CDB2D8D80599AB62848C85F80	UniTrust Global Root CA R2
39	UniTrust Global Code Signing ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global Code Signing ECC Root CA R2 O = UniTrust C = CN	D6E2F5C7B440515C5A3A5C490EFCB8C239503CDB	8854E81F9C6B47E438BBAE17E41F8BE4E68589AFD31A48BEE3F203F6DD3DA517	UniTrust Global Code Signing ECC Root CA R2
40	SHECA Code Signing ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA Code Signing ECC CA 2A O = UniTrust C = CN	3A55761122E385EB715671EE385BF1E3DoAC77A1A	953707AE07AF34970462E8C02AC3D10949D3684Do63385277F31869508007D23	UniTrust Global Code Signing ECC Root CA R2
41	SHECA EV Code Signing ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA EV Code Signing ECC CA 2A O = UniTrust C = CN	BFAE7906E9776B61D01E4579986F2698B66DF25E	545BD126658352B306EE74185173F1774A79467A26E9BB6AEoED44D86615DE5A	UniTrust Global Code Signing ECC Root CA R2
42	UniTrust Global Code Signing RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global Code Signing RSA Root CA R1 O = UniTrust C = CN	60C14C87BDAAB27B678E4EA7921C519B481BA860	6357353A4BBCA3D5A158C95BE9DC9oFoB3E2F6A6310FD5371FCB4C41E5E1BB4C	UniTrust Global Code Signing RSA Root CA R1

#	Key Name	Key Type	Signature Algorithm	Key Size	Subject DN	Subject Key Identifier	Certificates Thumbprint (SHA256)	Certificate Signed by
43	UniTrust Global SMIME ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global SMIME ECC Root CA R2 O = UniTrust C = CN	2D4D94407CF FC45D4357F1 90557448CF6 CBEA343	6F4E2464D216A1E0B 558BB204259B4A545 AEB948957AA3EAF11 B2F4DE1AFEF10	UniTrust Global SMIME ECC Root CA R2
44	SHECA IV SMIME ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA IV SMIME ECC CA 2A O = UniTrust C = CN	EBC1D6F67F2 909A9928A90 B4295818A02 F3CAF1B	E82D794C1AC79F9BE BF3B6D98A237F84C1 5FD40C3ABB86C2214 E699414F8FF54	UniTrust Global SMIME ECC Root CA R2
45	SHECA MV SMIME ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA MV SMIME ECC CA 2A O = UniTrust C = CN	FE0328035B6 93E5EDC5FA E0B742735DC C38C66Fo	D7C4AB9D315AE8B8 89DA902C55264295D 8CDC0F5471370490F 4D4585E2C3C6D3	UniTrust Global SMIME ECC Root CA R2
46	SHECA OV SMIME ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA OV SMIME ECC CA 2A O = UniTrust C = CN	BD34144476B 06D0F264C3C A9C349AC715 3D4EF55	229B7FBCA2361DE63 171067DE91DFFB3D2 FA71A5ABE51CA41D5 300C5750D2FoE	UniTrust Global SMIME ECC Root CA R2
47	UniTrust Global SMIME RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global SMIME RSA Root CA R1 O = UniTrust C = CN	DF08E3E977C 1FoFBF5F8D4 19504C7719F2 06CBA3	FoF255ADA2A643Co A1E7C8F54F3ED3DD 25EF0E7378E76F7C12 7517ECFD952803	UniTrust Global SMIME RSA Root CA R1
48	SHECA IV SMIME RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA IV SMIME RSA CA 1A O = UniTrust C = CN	D38BCDC445 B1E8DoAFDD 8BE8E4A6B5 B30A71EF4E	82BA6F106746838375 7DF53F1628258043B BB972E1CAD31FD7AA DoADD66A5B53	UniTrust Global SMIME RSA Root CA R1
49	SHECA MV SMIME RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA MV SMIME RSA CA 1A O = UniTrust C = CN	5A4AEFED9A E84052DA320 BBB32C4E529 ECDC5255	92148A115D26B28725 4B36164164B2220EE3 6B405D3B708CF5B7A B060C66B1FE	UniTrust Global SMIME RSA Root CA R1
50	SHECA OV SMIME RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA OV SMIME RSA CA 1A O = UniTrust C = CN	C061C3D053C 9F412C5C9192 DBB638305E4 CA7EF8	6B661B964F2359C4C A68355243A2EEEDA9 BACDA191D103A0C11 19EC892018AC7	UniTrust Global SMIME RSA Root CA R1
51	UniTrust Global Time Stamping ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global Time Stamping ECC Root CA R2 O = UniTrust C = CN	C20E70D5E40 15590A717B62 DDDB5389D7 627A1B7	90711D905CFF3C773A 7320B5188A960C8A7 D9E5966FA73284D64 A4BF3E2FDA48	UniTrust Global Time Stamping ECC Root CA R2
52	SHECA Time Stamping ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA Time Stamping ECC CA 2A O = UniTrust C = CN	41315BE8FD8 C3C65630168 307A0B30ECo 97F1069	0E3FC096DDCC3205 047F9042D57882A114 4107243C47CDE6FFF DE403A5B7CA04	UniTrust Global Time Stamping ECC Root CA R2
53	UniTrust Global Time Stamping RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global Time Stamping RSA Root CA R1 O = UniTrust C = CN	DA891E9DC3 oF38DAB089 6CCDC5FDD7 504F155B30	1759727D9E6679B069 DD3AFA910E2779C42 007AAB206A169C66E 6E2A3D1774Bo	UniTrust Global Time Stamping RSA Root CA R1

#	Key Name	Key Type	Signature Algorithm	Key Size	Subject DN	Subject Key Identifier	Certificates Thumbprint (SHA256)	Certificate Signed by
54	UniTrust Global TLS ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global TLS ECC Root CA R2 O = UniTrust C = CN	7935AD798A95305C3E05A675161A97000F6FCC90	6C689FC6B014A1FB0CDEB5A3996171C15E7286106028532E0210CEA8D9CD4E97	UniTrust Global TLS ECC Root CA R2
55	SHECA DV TLS ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA DV TLS ECC CA 2A O = UniTrust C = CN	CB65E62F50175F2C172B433F3A043CD213569A66	D690D8722EA89CD7617901449520653339386AC4939F7EC5C1B195D9C3C95FA4	UniTrust Global TLS ECC Root CA R2
56	SHECA EV TLS ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA EV TLS ECC CA 2A O = UniTrust C = CN	B353900B5E40A4952EA85A27F413ABBAD631F233	05E4C4B1F258030690E6793C9C13C6F6AE234F68E5C41236FDC919B7F589032F	UniTrust Global TLS ECC Root CA R2
57	SHECA OV TLS ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA OV TLS ECC CA 2A O = UniTrust C = CN	A065578C43B2546C4E18DF86AED56725A9B7659C	08BA64405A3406C97BDCBD0E44224E6DD341F3EC93F1368457DFA7CAC88BE150	UniTrust Global TLS ECC Root CA R2
58	UniTrust Global TLS RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global TLS RSA Root CA R1 O = UniTrust C = CN	F2ADBFAB6708F09672E633D65175A24759C900C4	4BABE0E9328D5DAE17936F3DDAA2442BFBDD0873F92FB8D1FBBD3D9894649AD9	UniTrust Global TLS RSA Root CA R1
59	SHECA DV TLS RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA DV TLS RSA CA 1A O = UniTrust C = CN	C5E3A87F7EEDBC3E7108B34EF490EF2F2F1367D1	FFABEA74895DC0C78C224597472CF6937E0D740EF49DC2256C8E75A2A2A15EDE	UniTrust Global TLS RSA Root CA R1
60	SHECA EV TLS RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA EV TLS RSA CA 1A O = UniTrust C = CN	60651A135EAB2B98A5A1041B3057A1D02FC612E5	B2525A5966CA68CA7F504F0A21FD73847D174F89B48852A3E970588E1EAFC774	UniTrust Global TLS RSA Root CA R1
61	SHECA OV TLS RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA OV TLS RSA CA 1A O = UniTrust C = CN	F463091C1E2788B75DBBE91644B1744A34F34B46	7F8EF707C2D9A4B7D4ED5FDCC8AF4A64D99BF297D03F8F01C4375DE74B1C7DE1	UniTrust Global TLS RSA Root CA R1



上海市数字证书认证中心有限公司

上海市数字证书认证中心有限公司
上海市四川北路1717号18楼
电话：(021) 36393199
传真：(021) 36393200
<http://www.sheca.com/>

罗兵咸永道会计师事务所
香港中环太子大厦22楼

2024年5月24日

致：罗兵咸永道会计师事务所

就 2023 年 4 月 1 日到 2024 年 3 月 31 日期间网络安全电子认证业务规则披露和电子认证运行控制活动的管理层认定报告
(本中文报告只作参考，正文请参阅英文报告。)

上海市数字证书认证中心有限公司 (Shanghai Electronic Certificate Authority Co., Ltd., 简称“SHECA”) 运营网络安全电子认证服务机构，并提供 SSL 和 non-SSL 电子认证服务，附件列示了服务所包括的根证书和中级证书。

SHECA 的管理层负责针对 SSL 和非 SSL 服务建立并维护有效的控制，包括：其网络和证书安全系统管理。这些控制包括监控机制及为纠正已识别的缺陷所采取的改进措施。

任何控制都有其固有限制，包括人为失误，以及规避或逾越控制的可能性。因此，即使有效的控制也仅能对 SHECA 运营的电子认证服务提供合理保证。此外，由于控制环境的变化，控制的有效性可能随时间而发生变化。

SHECA 管理层已对证书业务披露和电子认证服务控制进行评估。基于此评估，SHECA 管理层认为，在 2023 年 4 月 1 日至 2024 年 3 月 31 日就 SHECA 在中国上海（包括设施 1 和设施 2）提供的 SSL 和 non-SSL 电子认证服务期间，SHECA：

- 通过有效控制机制，以提供合理保证确保符合 CAB 论坛 (CA/Browser Forum) 发布的网络及证书系统安全规范 (Network and Certificate System Security Requirements)，

以符合 [WebTrust 电子认证网络安全基准规范审计标准 v1.0](#)。

UniTrust Global Root CA R1 (附录 #29) 和 UniTrust Global Root CA R2 (附录 #35) 在 2023 年 4 月 1 日至 2024 年 3 月 31 日期间未颁发证书，仅保持在线以提供吊销状态信息。

崔久强
上海市数字证书认证中心有限公司总经理

公司盖章

附录

下表列示本管理层认定报告所包括的密钥和证书:

#	密钥名称	密钥种类	密钥算法	密钥长度	主体识别名	密钥 ID	证书指纹 (SHA256)	证书签发者
1	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	9BEA11C976FE014764C1BE56A6F914B5A560317ABD9988393382E5161AA0493C	UCA Global G2 Root
2	SHECA SMIME CA G1	Signing Key	sha256RSA	2048 bits	CN = SHECA SMIME CA G1 O = UniTrust C = CN	1FA80B4DCF9CA6A53ADAB096AB9957B90A9B7F5D	8100D384D6C4529883C37C37C68FD4903C41CCBCB9033A9C733A6AF0806E1DE7	UCA Global G2 Root
3	SHECA RSA Code Signing CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Code Signing CA G3 O = UniTrust C = CN	FD7EC87AC2771C5687D2AEF807C7426A1B7C42A8	C7E976AA77E92491C269840B2F1461E65147A2BB181EE59AB63BCD86704FE456	UCA Global G2 Root
4	SHECA RSA Domain Validation Server CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Domain Validation Server CA G3 O = UniTrust C = CN	057A4D756FFDoA83B1671675773E14C5F53C548E	0A552A65F22FF820E7EC3D43BBF88B02ABC34BD247E0C3505891B6342F16A5F2	UCA Global G2 Root
5	SHECA RSA Organization Validation Server CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Organization Validation Server CA G3 O = UniTrust C = CN	316068091E32F9F6CCC06215AA7B91AF4C119D40	26FD4C4367E463D39C71796AE4010E53380DC93BC132FB019D6718A6873E81F4	UCA Global G2 Root
6	SHECA DV Server CA G5	Signing Key	sha256RSA	2048 bits	CN = SHECA DV Server CA G5 O = UniTrust C = CN	D8E7061B645FAB3008887A2453AAE11C8304BF6D	778C516DAEC700EE58B3581E411E5CoDD478663A5163A29895341507D6E964DD	UCA Global G2 Root
7	SHECA OV Server CA G5	Signing Key	sha256RSA	2048 bits	CN = SHECA OV Server CA G5 O = UniTrust C = CN	0379A38D525FD4E988921F4358542502F4878B7E	8AB3A0ACF289E6EF754BE449236843D67F45C191BDDD66484B85E6E60556A9AF	UCA Global G2 Root
8	SHECA EV Server CA G2	Signing Key	sha256RSA	2048 bits	CN = SHECA EV Server CA G2 O = UniTrust C = CN	86B148C0420A9C6F81FC4FDCD10F184BAAB5A6EA	4216527163AD2CAA825D3BF48F61A7661D0ABC89B58AB76B23A1E10999F0769F	UCA Global G2 Root
9	SHECA Code Signing CA G4	Signing Key	sha256RSA	3072 bits	CN = SHECA Code Signing CA G4 O = UniTrust C = CN	73C3B39021CBF23BDA23D351F295C58BC678EE47	8FoC3E06A16E3EA7C9B15A848076ED15E51DA0B6F1AFA274EDE2B9102191FEOF	UCA Global G2 Root
10	TrustAsia RSA DV TLS CA - S1	Signing Key	sha256RSA	2048 bits	CN = TrustAsia RSA DV TLS CA - S1 O = TrustAsia Technologies, Inc. C = CN	9432E0D48ACD1D93E75C5372960C5EF1F3F67972	074ADD7F1E73EB110EC8E2B78A92C51CF5A451135B6F7DEFC019EE9D74BFA4D6	UCA Global G2 Root

#	密钥名称	密钥种类	密钥算法	密钥长度	主体识别名	密钥 ID	证书指纹 (SHA256)	证书签发者
11	TrustAsia RSA OV TLS CA - S1	Signing Key	sha256RSA	2048 bits	CN = TrustAsia RSA OV TLS CA - S1 O = TrustAsia Technologies, Inc. C = CN	F575D48E293E17A8A9C49EDCE6DB0A344D132AEB	D16BA9ACB74FEE4A8A8087EE482E86E7F6F5F55FAC5025639730753FE1E705E3C	UCA Global G2 Root
12	SHECA Global G3 SSL	Signing Key	sha256RSA	2048 bits	CN = SHECA Global G3 SSL O = UniTrust S = Shanghai C = CN	9820FoF1D942A6DE833F991019003D6868D20181	AEFFE4335EE56422E927F45E95AE142B9EB35979A7400569AE9BDEA6CAABC1DC	UCA Global G2 Root
13	SHECA Global G3 Code Signing	Signing Key	sha256RSA	2048 bits	CN = SHECA Global G3 Code Signing O = UniTrust S = Shanghai C = CN	F73DF939A8D98754AC778EF5D995EEF835AB9439	EAA5AD8E9A2FA992354B2FF4254BEB08A632F7F17602604DDED58D73D616D844	UCA Global G2 Root
14	Xinnet DV SSL	Signing Key	sha256RSA	2048 bits	CN = Xinnet DV SSL O = 北京新网数码信息技术有限公司 C = CN	9D3AA5B8E2212783643FF578DC22B04E6BCB36D4	9C53902F9501F6D89766999DBE2AD1A1436420B652535CDC2DC51CCFE2FFEE68	UCA Global G2 Root
15	Xinnet OV SSL	Signing Key	sha256RSA	2048 bits	CN = Xinnet OV SSL O = 北京新网数码信息技术有限公司 C = CN	4B78C0324A2442784E9F83FoDoFE336C7EoD934F	3C07D7EFC8D458F668C10D4F06F90503CCD25D59E2B3F1D58B32884D9E4E3809	UCA Global G2 Root
16	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	C1AFC65B1E813BoE6146E6AA5341681272ABE9A38D59F7BD1B27B729834AoD9C	Certum Trusted Network CA
17	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	3DD69C5BE170F943F804D1D31FE8F916CoC0226CDDD7AEA9AA9AoCDFD3474361	Certum Trusted Network CA
18	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	BB61408AED9F530B2EC0545E53BA2C8EBEAA57D9976447DB1663CED4600CD6B7	Certum Trusted Network CA
19	UCA Global G2 Root	Root Key	sha256RSA	4096 bits	CN = UCA Global G2 Root O = UniTrust C = CN	81C48CCCF5E430FFA50C085F8C1567217401DFDF	BFA95C5DF164B659FA32F6D10564D7170DDE661A853A782E6AB63639433BCB41	Certum Trusted Network CA
20	UCA Extended Validation Root	Root Key	sha256RSA	4096 bits	CN = UCA Extended Validation Root O = UniTrust C = CN	D9743AE4303DoDF712DC7E5A059F1E349AF7E114	D43AF9B35473755C9684FC06D7D8CB70EE5C28E773FB294EB41EE71722924D24	UCA Extended Validation Root
21	SHECA RSA Extended Validation Code Signing CA	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Extended Validation Code Signing CA O = UniTrust C = CN	8E40665F6AA940C2B9F1F04A22639564593707E5	D404FAFA4BA2F426B66CD219C6DA84F91CoFB7CB58429EC8077E2A764314D55D	UCA Extended Validation Root

#	密钥名称	密钥种类	密钥算法	密钥长度	主体识别名	密钥 ID	证书指纹 (SHA256)	证书签发者
22	SHECA RSA Extended Validation Server CA	Signing Key	sha256RSA	2048 bits	CN = SHECA RSA Extended Validation Server CA O = UniTrust C = CN	3B4B252A773 72AFCB97FED A8BDAF2299 FC5DC5F4	4FD6FA527157EEA46 3689D7A4C2B934EF2 22279725413893D984 7242C85CA9DF	UCA Extended Validation Root
23	SHECA EV Server CA G3	Signing Key	sha256RSA	2048 bits	CN = SHECA EV Server CA G3 O = UniTrust C = CN	54E972FB786 69FE5CBF33B 8F9846555373 9CoB84	7EF3F89456CE636557 B20C5DFB37F98C253 AoB660D2E9E5E7845 CAF9Co38C7C1	UCA Extended Validation Root
24	SHECA EV Code Signing CA G2	Signing Key	sha256RSA	3072 bits	CN = SHECA EV Code Signing CA G2 O = UniTrust C = CN	5007CC4DF6F 4BA37FC13CE 1F2D22C956D 89EA503	DD84169585A2E7A21 6AECD4083265A8EB 51A64F7C6F1943671F 8584C73F79A74	UCA Extended Validation Root
25	SHECA OV Server CA G6	Signing Key	sha256RSA	2048 bits	CN = SHECA OV Server CA G6 O = UniTrust C = CN	FB7DCE4905B 420BCFFBF0 D8471ADAE01 35F961A0	264DF1458FB5EF1FC 9DF9F1345E84A6CC1 A471CF475AE7598FF5 2B86713519FB	UCA Extended Validation Root
26	SHECA OV Server CA G7	Signing Key	sha256RSA	2048 bits	CN = SHECA OV Server CA G7 O = UniTrust C = CN	A0F344BA175 12C7776AB444 2C5534B16AB 5FoDAA	F6F8BCD413C973316 6E85843B468DD36E7 27152D9A37B15129Co E7648ECEEE639	UCA Extended Validation Root
27	SHECA Extended Validation SSL CA	Signing Key	sha256RSA	2048 bits	CN = SHECA Extended Validation SSL CA O = UniTrust C = CN	4D140DEA6B 559CoCA6E1B B7BE86A966 D175E7CB5	25BFDB1C5FE2CCE05 1EC6DFBF2BB24E78C 92F969B1BB37867DA EDF93D1A7AE7E	UCA Extended Validation Root
28	SHECA Extended Validation Code Signing CA	Signing Key	sha256RSA	2048 bits	CN = SHECA Extended Validation Code Signing CA O = UniTrust C = CN	7498996F6A15 Co062520851 CAF2B316B87 EDA3DB	A392C645B9A5AD6A2 14F19DE776346BC7D D6BB15818E433886D AC54EE6661852	UCA Extended Validation Root
29	UniTrust Global Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global Root CA R1 O = UniTrust C = CN	3CA061BoEF DAC6E8BB2D E156A2EBBBB 63D232381	81B35EFC42C7794720 9D76B51B5E7B122CE 78348AE8C4525DC8D 4B30289E5385	UniTrust Global Root CA R1
30	SHECA DV Server CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA DV Server CA 1A O = UniTrust C = CN	653740E0BBF 43905206A8C 9CAoACB3BB D6968CAo	D3D4A040BB41A695 A96E3AAD93814CF7E F219D5819206E947B4 4DCC5B8E5E272	UniTrust Global Root CA R1
31	SHECA OV Server CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA OV Server CA 1A O = UniTrust C = CN	8CD02E8200 8EE2DEFF71F 61A105C74A8 26E858D1	9A3DB0FoFB0FF4F9 74A4E0C510A7C13D3 50485B1E6CDF5A899 BB24DoF499E9BD	UniTrust Global Root CA R1
32	SHECA EV Server CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA EV Server CA 1A O = UniTrust C = CN	73E36DF62D8 62F57DF69A5 3687231C85E 0170216	2F1CA1A5CoD7AE58C 7ADFC69D4C57EE815 F39CoF3D1F982E3AC 76D25AB723995	UniTrust Global Root CA R1

#	密钥名称	密钥种类	密钥算法	密钥长度	主体识别名	密钥 ID	证书指纹 (SHA256)	证书签发者
33	SHECA Code Signing CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA Code Signing CA 1A O = UniTrust C = CN	21B34B4FC6D D33246E861B ACEBF182D7E FCA2CDA	59E3EF6680BCC0B11 62DED4929D37E698 C6A5CBEE075C03F11 73AD653CF91CED	UniTrust Global Root CA R1
34	SHECA EV Code Signing CA 1A	Signing Key	sha384RSA	4096 bits	CN = SHECA EV Code Signing CA 1A O = UniTrust C = CN	510BE3C14EA BDFEA38FF4 34E2C97339C 0BFC27A9	03E04A3C2B5200BB2 7C679A37261852BAC7 D46F3F371E4ECA802 25AE288E4CFC	UniTrust Global Root CA R1
35	UniTrust Global Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global Root CA R2 O = UniTrust C = CN	E45366B7B7A 4E9D7CCC121 E04ACFCCAC 01BC72BC	78919B35D1C615595A 51328A5C546083B4D 5320724A258695B991 F2F61C4DCC7	UniTrust Global Root CA R2
36	SHECA DV Server CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA DV Server CA 2A O = UniTrust C = CN	A1221170BEC8 665F6ECB104 C4EDB38EA9 C1F914D	69201DC24E4127FFA 5B41A0DDF0A1A005 C00F334B003F10089 24CBF998E1827C	UniTrust Global Root CA R2
37	SHECA OV Server CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA OV Server CA 2A O = UniTrust C = CN	98CDEC33876 7F3942237381 0B735BA7C68 3A8259	8E2CA2825C2039804 A7A1CC54B002EA1DB 30AC489698F039527 BF1602132F611	UniTrust Global Root CA R2
38	SHECA EV Server CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA EV Server CA 2A O = UniTrust C = CN	44661C71EF69 B7930AB5B77 1D83B114CFA 843D77	93E49170D20F54DA7 01118A5ABDCDDA4F FCF334CDB2D8D805 99AB62848C85F80	UniTrust Global Root CA R2
39	UniTrust Global Code Signing ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global Code Signing ECC Root CA R2 O = UniTrust C = CN	D6E2F5C7B44 0515C5A3A5C 490EFCB8C23 9503CDB	8854E81F9C6B47E43 8BBAE17E41F8BE4E6 8589AFD31A48BEE3F 203F6DD3DA517	UniTrust Global Code Signing ECC Root CA R2
40	SHECA Code Signing ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA Code Signing ECC CA 2A O = UniTrust C = CN	3A5576122E38 5EB715671EE3 85BF1E3D0AC 77A1A	953707AE07AF34970 462E8C02AC3D10949 D3684D063385277F3 1869508007D23	UniTrust Global Code Signing ECC Root CA R2
41	SHECA EV Code Signing ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA EV Code Signing ECC CA 2A O = UniTrust C = CN	BFAE7906E97 76B61D01E45 79986F2698B 66DF25E	545BD126658352B306 EE74185173F1774A79 467A26E9BB6AE0ED 44D86615DE5A	UniTrust Global Code Signing ECC Root CA R2
42	UniTrust Global Code Signing RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global Code Signing RSA Root CA R1 O = UniTrust C = CN	60C14C87BDA AB27B678E4E A7921C519B48 1BA860	6357353A4BBCA3D5A 158C95BE9DC90F0B3 E2F6A6310FD5371FC B4C41E5E1BB4C	UniTrust Global Code Signing RSA Root CA R1
43	UniTrust Global SMIME ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global SMIME ECC Root CA R2 O = UniTrust C = CN	2D4D94407CF FC45D4357F1 90557448CF6 CBEA343	6F4E2464D216A1E0B 558BB204259B4A545 AEB948957AA3EAF11 B2F4DE1AFEF10	UniTrust Global SMIME ECC Root CA R2

#	密钥名称	密钥种类	密钥算法	密钥长度	主体识别名	密钥 ID	证书指纹 (SHA256)	证书签发者
44	SHECA IV SMIME ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA IV SMIME ECC CA 2A O = UniTrust C = CN	EBC1D6F67F2 909A9928A90 B4295818A02 F3CAF1B	E82D794C1AC79F9BE BF3B6D98A237F84C1 5FD40C3ABB86C2214 E699414F8FF54	UniTrust Global SMIME ECC Root CA R2
45	SHECA MV SMIME ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA MV SMIME ECC CA 2A O = UniTrust C = CN	FE0328035B6 93E5EDC5FA E0B742735DC C38C66F0	D7C4AB9D315AE8B8 89DA902C55264295D 8CDC0F5471370490F 4D4585E2C3C6D3	UniTrust Global SMIME ECC Root CA R2
46	SHECA OV SMIME ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA OV SMIME ECC CA 2A O = UniTrust C = CN	BD34144476B 06D0F264C3C A9C349AC715 3D4EF55	229B7FBCA2361DE63 171067DE91DFFB3D2 FA71A5ABE51CA41D5 300C5750D2FoE	UniTrust Global SMIME ECC Root CA R2
47	UniTrust Global SMIME RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global SMIME RSA Root CA R1 O = UniTrust C = CN	DF08E3E977C 1FoFBF5F8D4 19504C7719F2 06CBA3	FoF255ADA2A643Co A1E7C8F54F3ED3DD 25EF0E7378E76F7C12 7517ECFD952803	UniTrust Global SMIME RSA Root CA R1
48	SHECA IV SMIME RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA IV SMIME RSA CA 1A O = UniTrust C = CN	D38BCDC445 B1E8DoAFDD 8BE8E4A6B5 B30A71EF4E	82BA6F106746838375 7DF53F1628258043B BB972E1CAD31FD7AA DoADD66A5B53	UniTrust Global SMIME RSA Root CA R1
49	SHECA MV SMIME RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA MV SMIME RSA CA 1A O = UniTrust C = CN	5A4AEFED9A E84052DA320 BBB32C4E529 ECDC5255	92148A115D26B28725 4B36164164B220EE3 6B405D3B708CF5B7A Bo60C66B1FE	UniTrust Global SMIME RSA Root CA R1
50	SHECA OV SMIME RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA OV SMIME RSA CA 1A O = UniTrust C = CN	C061C3D053C 9F412C5C9192 DBB638305E4 CA7EF8	6B661B964F2359C4C A68355243A2EEEDA9 BACDA191D103AoC11 19EC892018AC7	UniTrust Global SMIME RSA Root CA R1
51	UniTrust Global Time Stamping ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global Time Stamping ECC Root CA R2 O = UniTrust C = CN	C20E70D5E40 15590A717B62 DDDB5389D7 627A1B7	90711D905CFF3C773A 7320B5188A960C8A7 D9E5966FA73284D64 A4BF3E2FDA48	UniTrust Global Time Stamping ECC Root CA R2
52	SHECA Time Stamping ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA Time Stamping ECC CA 2A O = UniTrust C = CN	41315BE8FD8 C3C65630168 307AoB30ECO 97F1069	0E3FC096DDCC3205 047F9042D57882A114 4107243C47CDE6FFF DE403A5B7CA04	UniTrust Global Time Stamping ECC Root CA R2
53	UniTrust Global Time Stamping RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global Time Stamping RSA Root CA R1 O = UniTrust C = CN	DA891E9DC3 0F38DAB089 6CCDC5FDD7 504F155B30	1759727D9E6679B069 DD3AFA910E2779C42 007AAB206A169C66E 6E2A3D1774Bo	UniTrust Global Time Stamping RSA Root CA R1
54	UniTrust Global TLS ECC Root CA R2	Root Key	sha384ECD SA	384 bits	CN = UniTrust Global TLS ECC Root CA R2 O = UniTrust C = CN	7935AD798A9 5305C3E05A6 75161A97000F 6FCC90	6C689FC6B014A1FBo CDEB5A3996171C15E7 286106028532E0210C EA8D9CD4E97	UniTrust Global TLS ECC Root CA R2

#	密钥名称	密钥种类	密钥算法	密钥长度	主体识别名	密钥 ID	证书指纹 (SHA256)	证书签发者
55	SHECA DV TLS ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA DV TLS ECC CA 2A O = UniTrust C = CN	CB65E62F501 75F2C172B433 F3A043CD213 569A66	D690D8722EA89CD7 617901449520653339 386AC4939F7EC5C1B 195D9C3C95FA4	UniTrust Global TLS ECC Root CA R2
56	SHECA EV TLS ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA EV TLS ECC CA 2A O = UniTrust C = CN	B353900B5E4 0A4952EA85A 27F413ABBAD 631F233	05E4C4B1F25803069 0E6793C9C13C6F6AE 234F68E5C41236FDC 919B7F589032F	UniTrust Global TLS ECC Root CA R2
57	SHECA OV TLS ECC CA 2A	Signing Key	sha384ECD SA	384 bits	CN = SHECA OV TLS ECC CA 2A O = UniTrust C = CN	A065578C43B 2546C4E18DF 86AED56725A 9B7659C	08BA64405A3406C97 BDCBD0E44224E6DD 341F3EC93F1368457D FA7CAC88BE150	UniTrust Global TLS ECC Root CA R2
58	UniTrust Global TLS RSA Root CA R1	Root Key	sha384RSA	4096 bits	CN = UniTrust Global TLS RSA Root CA R1 O = UniTrust C = CN	F2ADBFAB67 08F09672E63 3D65175A2475 9C900C4	4BABE0E9328D5DAE 17936F3DDAA2442BF BDD0873F92FB8D1F BBD3D9894649AD9	UniTrust Global TLS RSA Root CA R1
59	SHECA DV TLS RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA DV TLS RSA CA 1A O = UniTrust C = CN	C5E3A87F7EE DBC3E7108B3 4EF490EF2F2 F1367D1	FFABEA74895DC0C7 8C224597472CF6937E 0D740EF49DC2256C8 E75A2A2A15EDE	UniTrust Global TLS RSA Root CA R1
60	SHECA EV TLS RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA EV TLS RSA CA 1A O = UniTrust C = CN	60651A135EA B2B98A5A104 1B3057A1D02 FC612E5	B2525A5966CA68CA7 F504F0A21FD73847D 174F89B48852A3E97 0588E1EAF774	UniTrust Global TLS RSA Root CA R1
61	SHECA OV TLS RSA CA 1A	Signing Key	sha384RSA	3072 bits	CN = SHECA OV TLS RSA CA 1A O = UniTrust C = CN	F463091C1E27 88B75DBBE91 644B1744A34 F34B46	7F8EF707C2D9A4B7D 4ED5FDDC8AF4A64D 99BF297D03F8F01C4 375DE74B1C7DE1	UniTrust Global TLS RSA Root CA R1